

SAPDIO RB 1132 N+ Mini Broadband Router - All Broadband



Key Features :

- ➔ **Share All Broadband Connections - GSM/3G/4G·xDSL/Cable/Fiber· Public WiFi**
- ➔ **AP Mode - Convert Wired to Wireless Internet**
WiFi AP Mode - Extend Wireless Coverage
- ➔ **Green Design - 802.3az Standard plus Green AP Technology, Save up to 80% Power Consumption**
- ➔ **AC/DC Dual Power, Power Non-Stop**

➔ Cases of Using Mobile Hotspot

- Business Trip (3G/4G modem, smartphone)
- Stay in Hotel (AP Mode – Wired to Wireless)

SPECIFICATION :

➔ Hardware

- WAN Port :
10/100 Mbps RJ-45 *1
USB 2.0*1(for 3G modem, Smartphone)
- LAN Port :
10/100 Mbps RJ45
- Standard:
IEEE 802.11b/g/n
- Data Rate :
 - 802.11n (up to 300Mbps)
 - 802.11g (up to 54Mbps)
 - 802.11b (up to 11Mbps)
- Mode Switch :
Router/AP/WiFi AP
- LED Indicator :
POWER, STATUS , WAN/LAN , LAN , WIRELESS/WPS
- Button: WPS , Reset
- Antenna: 2dBi x 2 (Built-in)

➔ Network Feature

- WAN Connection :
 - Wired/Wireless modem
(Static IP, DHCP, PPTP, PPPoE, L2TP)
 - 3G/4G :
UMTS/HSDPA/HSUPA
CDMA2000
TD-SCDMA
 - Smartphone OS:
iPhone
Google Android
Windows Mobile
 - WiMAX ready
- Routing : DHCP server, client, DNS server
- NAT : Virtual server, DMZ
- UPnP : UPnP NAT Traversal
- Session : 20,000

➔ Wireless Application

- Wireless Security :
WEP 64 or 128 bit/WPA/WPA2/WPA2 Mixed
- WPS(Wi-Fi Protected setup) : PCB/PIN
- WDS
- Multiple AP

➔ Firewall

- URL / Port / IP / MAC Filtering
SPI against DOS attack

➔ Power Saving

- Ethernet:IEEE 802.3az Standard
- WiFi- Green AP Technology

➔ System Management

- Web-base Interface
- Firmware upgrade via web
- Profile save
- Event log
- Setup Language:
12 Languages (English, Traditional Chinese, Simplified Chinese, German, French, Italian, Spanish, Portuguese, Russian, Japanese, Korean, Arabic)

➔ Environment

- Dimension :91(L) x 78(W) x 31(H) mm
- Weight: 196g
- Power :
AC 100V~240V in / DC out 5V1A
- Certification: CE! / FCC / RoHS / NCC
- Support OS: Windows, MAC, Linux